

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	377	(70/224).CCLS.	USPAT; USOCR	OR	OFF	2005/06/30 16:04
S2	0	("1andreturnneardevice").PN.	USPAT; USOCR	OR	OFF	2005/06/30 15:58
S3	0	("L1andreturnneardevice").PN.	USPAT; USOCR	OR	OFF	2005/06/30 15:58
S4	0	("L1returnadjdevice").PN.	USPAT; USOCR	OR	OFF	2005/06/30 15:58
S5	294	70/224.ccls.	USPAT	OR	OFF	2005/06/30 16:05
S6	0	S5 and restrain\$ adj device\$	USPAT	OR	OFF	2005/06/30 16:06
S7	0	S5 and restrain\$ adj device\$	USPAT	OR	OFF	2005/06/30 16:06
S8	4753	S5 restrain\$ adj device\$	USPAT	OR	OFF	2005/06/30 16:06
S9	0	S5 with restrain\$ adj device\$	USPAT	OR	OFF	2005/06/30 16:07
S10	0	S5 with restrain\$3 adj device	USPAT	OR	OFF	2005/06/30 16:08
S11	0	S5 and (restrain\$3 adj device)	USPAT	OR	OFF	2005/06/30 16:08
S12	294	S5	USPAT	OR	OFF	2005/06/30 16:19
S13	11	S5 and restraining	USPAT	OR	OFF	2005/06/30 16:22
S14	0	S5 and ((restraining) near (spring))	USPAT	OR	OFF	2005/06/30 16:23
S15	0	S5 and restraining near spring	USPAT	OR	OFF	2005/06/30 16:24
S16	9	S13 and spring	USPAT	OR	OFF	2005/06/30 16:31
S17	0	S5 and (restraining near spring)	USPAT	OR	OFF	2005/06/30 16:28
S18	0	S5 and (restrain\$ near spring)	USPAT	OR	OFF	2005/06/30 16:28
S19	0	S5 and (restrain\$ adj spring)	USPAT	OR	OFF	2005/06/30 16:28
S20	2	S13 and "return spring"	USPAT	OR	OFF	2005/06/30 16:40
S21	95004	S13 and "return spring" spindle "return disc"	USPAT	OR	OFF	2005/06/30 16:41
S22	145317	S13 and "return spring" spindle "return disc" restraining	USPAT	OR	OFF	2005/06/30 16:41
S23	0	S13 and "return spring" with spindle with "return disc" with restraining	USPAT	OR	OFF	2005/06/30 16:43
S24	93	70/224 and "return" with (disc or spring)	USPAT	OR	OFF	2005/06/30 16:43
S25	36	"tubular locks"	USPAT	OR	OFF	2005/07/06 09:50
S26	65	("3785183" "3859826" "4057984" "4858455" "4938040" "5024072").PN. OR ("5327752"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 10:07
S27	5351	((spring coil) adj (retainer mount)) and lock	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 10:13

S28	1550	S27 and handle	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 10:08
S29	168	S27 and handle and spindle	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 10:08
S30	1	((spring coil) adj (retainer mount reinforcing)) and lock and (lever handle) and "direction change" and (door)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 10:14
S31	183	((spring coil) adj (retainer mount reinforcing)) and lock and (lever handle) with (door)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 10:21
S32	288	70/223.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 13:18
S33	1138	70/467-489.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/06 13:19
S34	0	("2004/0074269").URPN.	USPAT	OR	OFF	2005/07/06 13:21
S35	0	("2004/0074269").URPN.	USPAT	OR	OFF	2005/07/06 13:22
S36	79562	70/224.ccls. v adj shaped	USPAT	OR	OFF	2005/07/07 09:20
S37	9	70/224.ccls. and v adj shaped	USPAT	OR	OFF	2005/07/07 12:01
S38	9	70/224.ccls. and v adj shaped and (restrain prevent stop eliminate) and (movement rotation) and (plate disc)	USPAT	OR	OFF	2005/07/07 12:02
S39	71	("0036685" "1516152" "1565754" "1611940" "1871169" "1897523" "1899997" "2642735" "2657567" "2738666" "2998274" "3048996" "3079189" "3183740" "3442102" "3566633" "3566634" "3621685" "3922896" "3955387" "4195502" "4312201" "4370875" "4394821" "4424691" "4437695" "4550581" "4604879" "4655059" "4671089" "4679420" "4773240" "4869083" "4920773" "4941334" "4998760" "5010755" "5040652" "5116170" "5149155").PN. OR ("5794472").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 12:05

S40	24	("4920773" "5177987" "5301526" "5372025" "5768926" "5788296" "5794472" "5809815" "5816086" "5868018" "5887465" "5904232" "5927777" "5934117" "6041630" "6085561" "6101856" "6151934" "6279360" "6357270" "6412318" "6425273" "6481253").PN. OR ("6742367"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/08 10:57
S41	15	("1516152" "2989332" "3128115" "3556576" "4773240" "4966399" "5074607" "5301526" "5372025").PN. OR ("5788296"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/08 11:32